



TITLE:

Cover

AUTHOR(S):

---

CITATION:

Cover. The Review of Physical Chemistry of Japan 1975, 45(1)

ISSUE DATE:

1975-11-20

URL:

<http://hdl.handle.net/2433/47005>

RIGHT:

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

Founded in 1926

## CONTENTS

<b>Masaru Nakahara and Jiro Osugi : Ionic Solutions under High Pressures VI, Mobilities and Hydration of Monocarboxylate Ions .....</b>	<b>1</b>
<b>Masakatsu Ueno, Masaru Nakahara and Jiro Osugi : The Electrical Conductivities of <math>\text{NH}_4\text{Cl}</math> and <math>\text{Me}_n\text{NH}_{4-n}\text{Cl}</math> (<math>n=1, 2, 3</math>) in Water.....</b>	<b>9</b>
<b>Masakatsu Ueno, Masaru Nakahara and Jiro Osugi : The Electrical Conductivities of <math>\text{Et}_n\text{NH}_{4-n}\text{Cl}</math> (<math>n=1, 2, 3</math>) in Water.....</b>	<b>17</b>
<b>Jiro Osugi, Masaru Nakahara, Yasuhiko Matsubara and Kiyoshi Shimizu : The Transference Numbers of KBr and KI in Aqueous Solution at 15, 25 and 40°C up to 1,500kg/cm<sup>2</sup>.....</b>	<b>23</b>
<b>Jiro Osugi, Masaru Nakahara and Makoto Horiguchi : The Benzidine Rearrangement at High Pressure and High Temperature .....</b>	<b>27</b>
<b>Masatake Katayama, Kimihiko Hara and Jiro Osugi : Kinetic Study of the Solid State Reaction of Zinc and Arsenic at High Temperature and High Pressure .....</b>	<b>35</b>
<b>Muneo Sasaki : Kinetic Study of the Intermediate in the Reaction between Picryl Chloride and Sodium Sulphite in Aqueous Solution.....</b>	<b>45</b>
<b>Masahiko Uematsu , Shogo Saegusa, Koichi Watanabe and Ichimatsu Tanishita : Thermodynamic Properties of Gaseous Ethane and Ethene.....</b>	<b>53</b>

# THE REVIEW OF PHYSICAL CHEMISTRY OF JAPAN

(Butsuri-Kagaku no Shinpo)

Found in 1926

**President:** Wasaburo Jono

**Members of Council:**

Michio Okamoto (Chief)

Jiro Osugi

Ryozo Goto

Renpei Goto

Eiji Suito

Hiroyuki Hatano

**Board of Editors:**

J. Osugi (Chief) *Kyoto University*

R. Goto (Associate) *Kyoto Sangyo University*

E. Suito ( " ) *Kyoto University*

S. Shida *Yokohama University*

H. Teranishi *Kyoto Technical University*

K. Suzuki *Ritsumeikan University*

K. Kuwata *University of Osaka*

S. Seki *University of Osaka*

R. Fujishiro *Osaka City University*

T. Hayakawa *Prefectural University of Osaka*

Y. Kubokawa *Prefectural University of Osaka*

S. Tsuchihashi *University of Kobe*

T. Makita *University of Kobe*

S. Hasegawa *Okayama University*

K. Shimizu *Doshisha University*

H. Togawa *Doshisha University*

**Secretary:**

M. Sasaki

K. Hara

M. Nakahara

T. Tuda

November 20, 1975

**Communications to the Editor** should be addressed to Board of Editors, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Business Correspondences** should be addressed to: Secretary, The Physico-Chemical Society of Japan, Faculty of Science, Kyoto University, Kyoto, Japan.

**Purchase Order** should be addressed to: Maruzen Co., Ltd., Nihonbashi, Chuo-ku, Tokyo, Japan.

Published by

**THE PHYSICO-CHEMICAL SOCIETY OF JAPAN**

(Nippon Butsuri-Kagaku Kenkyu Kai)

Faculty of Science, Kyoto University, Kyoto, Japan

Printed by KAWAKITA PRINTING CO., LTD., Kyoto, Japan



**KURARAY,**  
industry-wide pioneers  
in creativity and originality

*<Main Products>*

**KURALON** (Polyvinyl alcohol fiber)

**CLARETTA** (Polyester fiber and fabrics)

**KURARAY RAYON**

**KURARAY POVAL** (Polyvinyl alcohol)

**CLARINO** (New man-made leather)




**KURARAY CO., LTD.**

8, Umeda, Kita-ku, Osaka, Japan  
Cable adress KURARAY OSAKA

# HORIBA'S HIGH-PURITY SYNTHETIC CRYSTALS


for precision optical measurements  
of radiation, infrared, ultraviolet or laser beam.

## NaI (Tl) SCINTILLATOR



HORIBA, Ltd. has established a steady production line for large size crystals of greater than 12 inches by diameter in addition to conventional size crystals. The photograph at right shows an NaI(Tl) Scintillator for use with scintillation camera. The large diameter NaI(Tl) scintillator enabled scintillation survey of an extensive area to be done in a drastically shorter time. HORIBA, Ltd. is ready to respond to your requirements for any purpose as for as the scintillators are concerned.

## INFRARED RAY OPTICAL CRYSTAL



Infrared ray optical crystal is formed from materials specially refined for optical crystals as melted and grown into a huge size ingot. Its uncontested high purity, exact crystal lattice and transparency at the transmission range are universally acknowledged. The crystal is available in forms of prism, window or lense of either rough-polish or rough-cut block, or in a random size. Materials: LiF, NaCl, KCl, KBr, CsI, AgCl, CaF<sub>2</sub>, KRS-5 etc.

## ELECTRO-OPTIC CRYSTAL



HORIBA, Ltd. is the first in Japan to have developed electro-optic crystal, known as DKDP single crystal especially for modulation of laser beam. The electro-optic effect of the crystal has been greatly expanded by replacing hydrogen in KDP crystal by its isotope, deuterium (maximum deuterium replacement : 99.7%)

### Electro-Optical Crystals

	Product name: A-51518	Wavelength: A=516.5 Å	2 Col. Maximum Size
CaF <sub>2</sub> (CaF <sub>2</sub> )	7% = 26.4 × 10 <sup>-4</sup> m	3.087	40 × 40 × 40mm
LiF (LiF)	7% = 40.1 × 10 <sup>-4</sup> m	7.587	40 × 40 × 40mm
LiF (LiF)	7% = 1.3 × 10 <sup>-4</sup> m	9.587	40 × 40 × 40mm

HORIBA, Ltd. **HORIBA**

Miyano Higashi, Kisshoin  
Minamiku, Kyoto, Japan  
Phone: (075)-313-8121